

**Abhishek Sharma, PhD**  
Assistant Professor  
Department of Chemistry and Chemical Biology  
Stevens Institute of Technology

*Abhishek Sharma*  
314 McLean Hall  
507 River Street  
Hoboken, NJ, 07030, USA  
[abhishek.sharma@stevens.edu](mailto:abhishek.sharma@stevens.edu)  
Tel: 201-216-3539

## Professional/Research Experience

- Postdoctoral Research Associate, Department of Chemistry, University of Illinois at Urbana-Champaign (with Professors John A. Katzenellenbogen and Douglas A. Mitchell) **2012 – 2016**
- Postdoctoral Fellow, Department of Chemistry, University of Leuven, Belgium (with Professor Erik Van der Eycken) **2011 - 2012**

## Education

- **PhD** (Organic Chemistry), Advisor: Dr. Arun K. Sinha **2005 – 2010**  
CSIR-Institute of Himalayan Bioresource Technology (I.H.B.T), India

## Awards and Honors

- Breakthrough Award, DoD Breast Cancer Research Program **2018**
- Susan G. Komen Fellowship **2016**
- Marie Curie Intra-European Postdoctoral Fellowship by European Union (Not availed) **2012**
- Postdoctoral Fellowship by the Research Foundation–Flanders (FWO), Belgium **2010**
- Junior/Senior Research Fellowship (JRF/SRF), Council of Scientific and Industrial Research (CSIR), India **2006**

## Research Grants

- Susan G. Komen Grant in Breast Cancer Drug Discovery, Role: PI
- Department of Defense (DoD) Breakthrough Grant (Breast Cancer Research Program), Role: PI

## Publications

(\* = corresponding author)

- 32) A modular and concise approach to MIDA acylboronates via chemoselective oxidation of unsymmetrical geminal diborylalkanes: Unlocking access to a novel class of acylborons; S. Lin, L. Wang, N. Aminoleslami, Y. Lao, C. Yagel, **A. Sharma\***, *Chemical Science*, **2019**, *10*, 4684-4691.
- 31) Antagonists for constitutively active mutant estrogen receptors: insights into the roles of antiestrogen-core and side-chain **A. Sharma\***, W. Toy, V. S. Guillen, N. Sharma, J. Min, K. E. Carlson, C. G. Mayne, S. Lin, M. Sabio, G. Greene, B. S. Katzenellenbogen, S. Chandarlapaty, J. A. Katzenellenbogen, *ACS Chem. Biol.* **2018**, *13*, 3374-3384.
- 30) New class of selective estrogen receptor degraders (SERDs): Expanding the toolbox of PROTAC degraders; L. Wang, V.S. Guillen, N. Sharma, K. Flessa, J. Min, K. E. Carlson, W. Toy, S. Braqi, B. S. Katzenellenbogen, J. A. Katzenellenbogen, S. Chandarlapaty, **A. Sharma\***, *ACS Med. Chem. Lett.* **2018**, *9*, 803-808.
- 29) Recent advances in the synthesis and synthetic applications of 1,2,3-triazoles; S. Lin, **A. Sharma\***, *Chem. Heterocycl. Compd.* **2018**, *54*, 314-316.
- 28) Structurally novel antiestrogens elicit differential responses from constitutively active mutant estrogen receptors in breast cancer cells and tumors; Y. Zhao, M. J. Laws, V. S. Guillen, Y. Ziegler, J. Min, **A. Sharma**, S. H. Kim, D. Chu, B. H. Park, S. Oesterreich, C. Mao, D. J. Shapiro, K. W. Nettles, J. A. Katzenellenbogen, B. S. Katzenellenbogen, *Cancer Research*, **2017**, *77*, 5602-5613.

- 27) Adamantyl antiestrogens with novel side chains reveal a spectrum of activities in suppressing estrogen receptor mediated activities in breast cancer cells; Jian Min, Valeria Sanabria Guillen, **Abhishek Sharma**, Yuechao Zhao, Yvonne Ziegler, Ping Gong, Christopher G. Mayne, Sathish Srinivasan, Sung Hoon Kim, Kathryn E. Carlson, Kendall W. Nettles, Benita S. Katzenellenbogen, John A. Katzenellenbogen, *J. Med. Chem.* **2017**, *60*, 6321–6336
- 26) Exploring the structural compliancy versus specificity of the estrogen receptor using isomeric three-dimensional ligands; N. Sharma, K. Carlson, J. Nwachukwu, S. Srinivasan, **A. Sharma**, K. Nettles, J. A. Katzenellenbogen, *ACS Chem. Biol.* **2017**, *12*, 494–503.
- 25) Insights into methyltransferase specificity and bioactivity of derivatives of the antibiotic plantazolicin; Y. Hao, P. M. Blair, **A. Sharma** S. K. Nair, D. A. Mitchell, *ACS Chem. Biol.* **2015**, *10*, 1209-1216.
- 24) Triaryl-substituted schiff bases are high-affinity subtype-selective ligands for the estrogen receptor; Z.-Q. Liao, C. Dong, K. E. Carlson, S. Srinivasan, J. C. Nwachukwu, R. W. Chesnut, **A. Sharma**, K. W. Nettles, J.A. Katzenellenbogen, H.-B. Zhou, *J. Med. Chem.* **2014**, *57*, 3532-3545.
- 23) Synthesis of plantazolicin analogues enables dissection of ligand binding interactions of a highly selective methyltransferase; **A. Sharma**, P. M. Blair, D. A. Mitchell, *Org. Lett.* **2013**, *15*, 5076-5079.
- 22) Copper-catalyzed direct secondary and tertiary C-H alkylation of azoles through a novel Heteroarene-Amine-Aldehyde/Ketone coupling; D. Vachhani, **A. Sharma**, E. Van der Eycken, *Angew. Chemie Int. Ed.* **2013**, *52*, 2547-2550.
- 21) Direct heteroarylation of tautomerizable heterocycles into unsymmetrical and symmetrical biheterocycles via Pd/Cu-catalyzed phosphonium coupling; **A. Sharma**, D. Vachhani, E. Van der Eycken, *Org. Lett.* **2012**, *14*, 1854-1857.
- 20) Developments in direct C-H arylation of (hetero)arenes under microwave irradiation; **A. Sharma**, D. Vachhani, E. Van der Eycken, *Chem. Eur. J.* **2013**, *19*, 1158-1168.
- 19) Pd/Cu-catalyzed C-H arylation of 1,3,4-thiadiazoles with (hetero)aryl iodides, bromides and triflates; D. Vachhani, **A. Sharma**, E. Van der Eycken, *J. Org. Chem.* **2012**, *77*, 8768–8774.
- 18) A facile diversity-oriented synthesis of imidazo[1,2-a]pyrazinones via gold-catalyzed regioselective heteroannulation of propynylaminopyrazinones; D. Vachhani, S. G. Modha, **A. Sharma**, E. Van der Eycken, *Tetrahedron*, **2013**, *69*, 359-365.
- 17) Microwave-assisted synthesis of medium-sized heterocycles; **A. Sharma**, P. Appukkuttan; *Chem. Commun.* **2012**, *48*, 1623-1637.
- 16) Direct olefination of benzaldehydes into hydroxy functionalized oligo-(*p*-phenylenevinylene)s via Pd-catalyzed heterodominant Knoevenagel-decarboxylation-Heck sequence and its application for fluoride sensing  $\pi$ -conjugated units; **A. Sharma**, N. Sharma, R. Kumar, A. Shard and A. K. Sinha, *Chem. Commun.* **2010**, *46*, 3283-3285.
- 15) Water promoted cascade rearrangement approach towards  $\alpha$ -aryl aldehydes from arylalkenes using N-halosuccinimides: An avenue for asymmetric oxidation using phase transfer cinchona organocatalysis; **A. Sharma**, N. Sharma, R. Kumar, U. Sharma and A. K. Sinha, *Chem. Commun.* **2009**, 5299-5301.
- 14) Tandem allylic oxidation-condensation/esterification catalyzed by silica gel: An expeditious approach towards antimalarial diaryldienones and enones from natural methoxylated phenylpropenes; **A. Sharma**, N. Sharma, A. Shard, R. Kumar, D. Mohankrishnan, A. K. Sinha and D. Sahal, *Org. Biomol. Chem.* **2011**, *9*, 5211-5219.
- 13) Unique versatility of ionic liquids as clean decarboxylation catalyst cum solvent: A metal and quinoline-free paradigm towards synthesis of indoles, styrenes, stilbenes and arene derivatives under microwave irradiation in aqueous conditions; **A. Sharma**, R. Kumar, N. Sharma, V. Kumar and A. K. Sinha, *Adv. Synth. Catal.* **2008**, *350*, 2910-2920.
- 12) Hydroxylated di- and tri-styrylbenzenes, a new class of antiplasmodial agents: discovery and mechanism of action N. Sharma, D. Mohanakrishnan, A. Shard, **A. Sharma**, A. K. Sinha and D. Sahal, *RSC Adv.* **2016**, *6*, 49348-49357.
- 11) Stilbene–chalcone hybrids: design, synthesis, and evaluation as a new class of antimalarial scaffolds that trigger cell death through stage specific apoptosis; N. Sharma, D. Mohanakrishnan, A. Shard, **A. Sharma**, Saima, A. K. Sinha and D. Sahal, *J. Med. Chem.* **2012**, *55*, 297-311.
- 10) Pd-catalyzed orthogonal Knoevenagel/Perkin-decarboxylation-Heck/Suzuki sequences: Tandem transformation of benzaldehydes into hydroxy functionalized antidiabetic stilbene-cinnamoyl hybrids and unsymmetrical distyrylbenzenes; N. Sharma, **A. Sharma**, R. Kumar, A. Shard, Saima and A. K. Sinha, *Chem. Eur. J.* **2011**, *17*, 10350-10356.
- 9) One-pot two-step oxidative cleavage of 1,2-arylalkenes to aryl ketones instead of arylaldehydes in an aqueous medium: A complementary approach to ozonolysis; N. Sharma, **A. Sharma**, R. Kumar, A. Shard and A. K. Sinha, *Eur. J. Org. Chem.* **2010**, 6025-6032.
- 8) Reinvestigation of structure–activity relationship of methoxylated chalcones as antimalarials: Synthesis and evaluation of 2,4,5-trimethoxy substituted patterns as lead candidates derived from abundantly available natural

- $\beta$ -asarone; R. Kumar, D. Mohanakrishnan, **A. Sharma**, N. K. Kaushik, K. Kalia, A. K. Sinha and D. Sahal, *Eur. J. Med. Chem.* **2010**, *45*, 5292-5301.
- 7) Metal-free activation of H<sub>2</sub>O<sub>2</sub> by synergic effect of ionic liquid and microwave: chemoselective oxidation of benzylic alcohols to carbonyls and unexpected formation of anthraquinone in aqueous condition ; R. Kumar, N. Sharma, N. Sharma, **A. Sharma**, and A. K. Sinha, *Mol. Divers.* **2011**, *15*, 687-695.
  - 6) Green methodologies in synthesis and natural product chemistry of phenolic compounds, A. K. Sinha, N. Sharma, A. Shard, **A. Sharma**, R. Kumar and U. K. Sharma *Ind. J. Chem.: Sec. B*, **2009**, *48*, 1771-1779.
  - 5) Neutral ionic liquid [hmim]Br as a green reagent and solvent for mild and efficient dehydration of benzyl alcohols into (*E*)-arylalkenes under microwave irradiation, R. Kumar, **A. Sharma**, N. Sharma, V. Kumar and A. K. Sinha, *Eur. J. Org. Chem.* **2008**, 5577-5582.
  - 4) Microwave assisted efficient extraction of different parts of *Hippophae rhamnoides* for the comparative evaluation of antioxidant activity and quantification of its phenolic constituents by RP-HPLC; U. Sharma, K. Sharma, N. Sharma, **A. Sharma**, H.P. Singh and A.K. Sinha, *J. Ag. Food Chem.* **2008**, *56*, 374-379.
  - 3) An unusual, mild and convenient one pot two step access to (*E*)-Stilbenes from hydroxyl substituted benzaldehydes and phenyl acetic acids under microwave activation: Revelation of new facet on the classical perkin reaction; A. K. Sinha, V. Kumar, **A. Sharma**, and A. Sharma, *Tetrahedron*, **2007**, *63*, 11070–11077.
  - 2) DDQ catalyzed benzylic acetoxylation of arylalkanes: A case of exquisitely controlled oxidation under sonochemical activation; V. Kumar, **A. Sharma**, M. Sharma, U. Sharma and A. K. Sinha, *Tetrahedron*, **2007**, *63*, 9718–9723.
  - 1) Remarkable synergism in methylimidazole-promoted decarboxylation of substituted cinnamic acid derivatives in basic water medium under microwave irradiation: A clean synthesis of hydroxylated (*E*)-stilbenes; V. Kumar, **A. Sharma**, A. Sharma and A. K. Sinha, *Tetrahedron*, **2007**, *63*, 7640–7646.

## Patents

---

- 4) Antiestrogen Compounds, **A. Sharma**, S. Chandarlapaty, J. Katzenellenbogen, L. Wang, S. Lin, W. Toy (WO 2019/241231)
- 3) One-pot multicomponent synthesis of some novel hydroxy stilbene derivatives with  $\alpha$ ,  $\beta$ -carbonyl conjugation under microwave irradiation; **A. Sharma**, A. K. Sinha, R. Kumar, N. Sharma, (US patent 8716532)
- 2) Microwave induced single step green synthesis of some novel 2-aryl aldehydes and their analogues; A. K. Sinha, **A. Sharma**, R. Kumar and N. Sharma, (US patent 8779200).
- 1) A process for the preparation of crystalline and non-hygroscopic phenolic rich colored fractions from plants; A. K. Sinha, U. Sharma, **A. Sharma**, N. Sharma, *Patent filed*, (WO/2010/109286, DE112010001347T5).

## Book Chapters

---

- 1) “Synthesis of medium-sized heterocycles under microwave irradiation” **A. Sharma**, E. Van der Eycken; Book chapter in textbook “*Microwave Chemistry*” Editors: G. Cravotto, D. Carnaroglio; **2017**, Publisher: De Gruyter